



# HP DesignJet T950 36-in Multifunction Printer (2Y9H3G)



## Overview

**The world's most efficient A3-A1 printing experience to boost productivity[1]**

Boost productivity with the world's most efficient A3-A1 experience. [1] Do it all—print multi-size CAD and renders with the integrated input/output tray. Save time with HP Click Print solutions. And go beyond with this robust and compact plotter.

### **MOST EFFICIENT[1]—Save time, get through more jobs**

Pick up your jobs quickly and simply—stacker holds up to 40 pages flat for easy collection.[2]

### **GO BEYOND—Meet office and environmental needs**

Advance environmental goals—printer is made with at least 35% recycled plastics[5] and recyclable supplies[6].

### **CONNECTED—Secure and seamless collaboration**

Simplify printing with the new HP Click Print solutions - Save time with real-print preview. [3]

---

[1] The HP DesignJet T950 is faster than its main competitors: 44% faster than competitor A and 43% faster than competitor B in end-to-end performance, including job preparation with printing software, processing, printing, and collection. Testing performed by Sogeti, April 2023. Detailed test report is available upon request.

[2] Based on test results using A1 size, plain paper, and standard configuration. Stacking capacity is subject to paper type, printed file and ambient conditions.

[3] HP One-click printing with HP Click software. HP Click software is only compatible with Original HP ink supplies. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files.

[5] Declared %RCP content is based on the quantity and weight of parts made with RCP resin over the total plastic parts.

[6] Program availability varies. See <https://www.hp.com/go/recycle>

## Specifications

<b>Print quality color (best)</b>	Up to 2400 x 1200 optimized dpi
<b>Functions</b>	Print, copy, scan
<b>Connectivity, standard</b>	Gigabit Ethernet (1000Base-T), no Wi-Fi module or capability
<b>Software included</b>	HP Click App, HP Click Driver for Windows 11, HP app for Windows, macOS, Android, and iOS
<b>Technical features</b>	A3 input tray;Stacker;A3 sheet organizer;1- click scan/copy;Auto-power on/off scheduler;Max. resolution 2400 x 2400 dpi;HP Wolf Pro Security;130/300 ml cartridges;HP Flex Tech Inks
<b>Energy star certified</b>	Yes
<b>Scan file format</b>	JPEG, PDF, TIFF
<b>Scan input modes</b>	Scan to email, network, and USB. Scan to cloud, computer, and mobile through HP app.
<b>Scanner type</b>	Sheetfed, CIS (Contact Image Sensor), media jam detection sensor, front feed scanning method
<b>Dimensions (W x D x H)</b>	1407 x 720 x 967 mm
<b>Dimensions (W x D x H)</b>	55.4 x 28.3 x 38.1 in
<b>Weight</b>	71 kg
<b>Weight</b>	156.5 lb
<b>Power consumption</b>	35 W (printing), <11 W (ready), <3.5 W (sleep), <0.1 W (off). Auto-scheduled printer on/off usage.
<b>Environmental certification</b>	ENERGY STAR, EPEAT, UL ECOLOGO® certified inks, CE marking (including WEEE, RoHS, REACH, ErP). In compliance with applicable WW RoHS materials restriction requirements.
<b>What's in the box</b>	HP DesignJet T950 MFP, printhead, introductory ink cartridges, printer stand, spindle, guide, warranty flyer, power cord

## Additional specifications

<b>Acoustic power emissions (active, printing)</b>	5.8 B(A) (operating), <3.4 B(A) (idle)
<b>Acoustic pressure emissions</b>	42 dB(A) (operating), <16 dB(A) (idle)
<b>Additional storage</b>	2.7 GB reprint queue
<b>Copy reduce / enlarge settings</b>	25 to 400% at 1% increment
<b>Country of origin</b>	Made in Singapore
<b>Datasheet photo 1</b>	AHID/ade012476455a8c902318555b2b3ace40fad8fda
<b>Dynamic security</b>	Dynamic security enabled printer
<b>Electromagnetic compatibility</b>	Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (RED Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI); Korea (KCC)
<b>Finished output handling</b>	Sheet feed, roll feed, front-loading input tray (100 sheet capacity), sheet organizer (50 sheet capacity[5]), stacker (40 sheet capacity[5]), automatic horizontal cutter
<b>HP ePrint capability</b>	Yes
<b>Ink drop</b>	6 pl (C, M, Y); 12.6 pl (mK)
<b>Ink types</b>	Pigment-based (C, M, Y, mK)
<b>Internal Storage</b>	None
<b>Line accuracy</b>	±0.1%[2]
<b>Linear scan speed</b>	Up to 3.81 cm/sec (color, 200 dpi), up to 11.43 cm/sec (grayscale, 200 dpi)
<b>Linear scan speed</b>	Up to 1.5 in/sec (color, 200 dpi), up to 4.5 in/sec (grayscale, 200 dpi)
<b>Maximum media thickness</b>	Up to 0.8 mm
<b>Maximum optical density (black)</b>	15 L* min/1.7 D[3]
<b>Maximum scan length</b>	7 m[4]
<b>Maximum scan length</b>	23 ft[4]
<b>Media sizes standard (metric rolls)</b>	369 to 914 mm
<b>Media sizes standard (sheets, rolls)</b>	14.5 to 36 in
<b>Media sizes supported</b>	Input tray: A, B; Manual feed: A, B, C, D, E
<b>Media sizes supported</b>	Input tray: A4, A3; Manual feed: A4, A3, A2, A1, A0
<b>Media sizes, custom</b>	Front-loading input tray: 210 x 279 to 305 x 457 mm; Manual feed: 210 x 279 to 914 x 1676 mm
<b>Media sizes, custom</b>	Front-loading input tray: 8.3 x 11 to 12 x 18 in; Manual feed: 8.3 x 11 to 36 x 66 in
<b>Media thickness</b>	Up to 11.8 mil
<b>Media thickness</b>	Up to 0.03 in

<b>Media thickness (metric)</b>	Up to 0.3 mm
<b>Media types</b>	Bond and coated paper (bond, coated, heavyweight coated, plain, bright white, blueprint), technical paper (natural tracing), film (clear, matte), photographic paper (ID satin, ID gloss), self-adhesive (adhesive matte/gloss, adhesive polypropylene gloss), Polypropylene (matte)
<b>Media weight, recommended</b>	60 to 280 g/m <sup>2</sup> (roll/manual feed); 64 to 220 g/m <sup>2</sup> (front-loading input tray)
<b>Media width, maximum</b>	36 in
<b>Media width, maximum</b>	914 mm
<b>Memory</b>	2 GB
<b>Model size</b>	36 in
<b>Model size</b>	914 mm
<b>Network ready</b>	Standard
<b>Non-Operating Humidity Range</b>	0 to 95% RH
<b>Non-printable area (cut-sheet)</b>	5 x 5 x 5 x 5 mm
<b>Non-printable area (cut-sheet)</b>	0.2 x 0.2 x 0.2 x 0.2 in
<b>Non-printable area (roll media)</b>	5 x 5 x 5 x 5 mm
<b>Non-printable area (roll media)</b>	0.2 x 0.2 x 0.2 x 0.2 in
<b>Operating altitude</b>	Up to 9843 ft
<b>Operating altitude</b>	Up to 3000 m
<b>Operating humidity range</b>	20 to 80% RH
<b>Operating temperature range</b>	5 to 40°C
<b>Operating temperature range</b>	41 to 104°F
<b>Orderable supplies</b>	HP Original Ink: HP 738 cartridges (Black, Cyan, Magenta, Yellow), and HP 739 printhead
<b>Package dimensions (W x D x H)</b>	62 x 24.8 x 30.7 in
<b>Package dimensions (W x D x H)</b>	1575 x 630 x 780 mm
<b>Package weight</b>	213.8 lb
<b>Package weight</b>	97 kg
<b>Playbook TS icon connectivity</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.png</a>
<b>Playbook TS icon dimensions AiO</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192862.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192862.png</a>
<b>Playbook TS icon display AiO</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08727006.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08727006.png</a>
<b>Post consumer recycled plastic in hardware by weight of plastic</b>	36%
<b>Power</b>	Input voltage (auto ranging): 100-240 V (±10%), 50/60 Hz (±3 Hz), 1.2 A max
<b>Print Cartridge/Bottle, Color(s)</b>	Cyan, magenta, yellow, matte black
<b>Print Cartridges/Bottle, Number</b>	4 (C, M, Y, mK) cartridges

<b>Print Technology</b>	Ink
<b>Print cartridge/bottle volume delivered</b>	300 ml cartridge, 130 ml cartridge
<b>Print head nozzles</b>	1376 per color; 5504 in total
<b>Print heads</b>	1 (C, M, Y, mK)
<b>Print languages</b>	TIFF, JPEG, URF, PDF, HP-GL/2, HP-RTL, CALS G4
<b>Print multi-size files in one click</b>	Yes
<b>Print speed</b>	21 sec/page on A1, 120 A1 prints per hour[1]
<b>Print speed</b>	21 sec/page for D size, 120 D size 24" x 36" prints per hour[1]
<b>Print technology</b>	HP Thermal Inkjet
<b>Printer drivers included</b>	Raster driver for macOS and Windows, HP Click Driver for Windows 11, HP-GL/2 driver for Windows
<b>Printing path</b>	Remote printing, Apple AirPrint and HP Smart app for Android and iOS devices, Windows and macOS printer drivers, printing support for Chrome OS, print from USB pen drive
<b>Product logos</b>	AirPrint; CE marking; ENERGY STAR; EPEAT green; IPv6 Ready; Mac; Windows 11 Compatible
<b>Recommended media</b>	HP Universal Bond Paper (FSC® certified)[6] (recyclable)[7];HP Coated Paper (FSC® certified)[6] (recyclable)[7];HP Heavyweight Coated Paper (FSC® certified)[6] (recyclable)[7]
<b>Remote print enabled</b>	Yes
<b>Roll external diameter</b>	5.5 in
<b>Roll external diameter</b>	140 mm
<b>Roll maximum input</b>	1
<b>Roll maximum weight</b>	13 kg
<b>Roll maximum weight</b>	28.6 lb
<b>Safety</b>	USA and Canada (CSA certified); EU (RED Directive, EN 62368-1 compliant); Singapore (PSB); China (CCC); Mexico (NYCE); Argentina (IRAM); India (BIS)
<b>Scan resolution, optical</b>	Up to 600 dpi
<b>Scan size, maximum</b>	914 mm x 2.77 m
<b>Scan size, maximum</b>	36 x 109 in
<b>Scan size, minimum</b>	5 x 5 in
<b>Scan size, minimum</b>	127 x 127 mm
<b>Security features</b>	HP Wolf Pro Security; HP Secure Boot, Allowlisting, Security event logging, Disable network ports and protocols, SNMPv3, 802.1x compatibility, TLS/SSL, Semi-permanent-queue Erase, NTLM v2, HP Web JetAdmin, HP Security Manager, SIEM Integration
<b>Storage</b>	2.7 GB reprint queue
<b>Storage temperature range</b>	-25 to 55°C
<b>Storage temperature range</b>	-13 to 131°F

<b>Supported Primary Applications</b>	Line drawings; Renderings; Presentations; Maps; Posters
<b>Technology logo 1</b>	AHID/cce10ebbd356d96074154a12dc62032a64b058f3
<b>Technology logo 2</b>	AHID/60d2a69d632efba286c546dd6a2fcfdb5c3c9e1f
<b>Technology logo 3</b>	AHID/cd33e848211911e4369b10008531951b0aa3cde7
<b>Technology logo 4</b>	AHID/c51bf05ff1023abad6fda02c5a970763b91946f4
<b>Technology logo 5</b>	AHID/6615658f92b8dd21f3c5b78f3bea628bd257123b
<b>Technology logo 6</b>	AHID/0e41ea2a916263d4c3403cc03016fcaae7311969
<b>Theoretical minimum line width</b>	0.0008 in (via raster driver)
<b>Theoretical minimum line width</b>	0.02 mm (via raster driver)
<b>UNSPSC code</b>	43212107
<b>UPC number</b>	196548313341
<b>Web address for additional information</b>	<a href="https://www.hp.com/go/designjet-t950-mfp">https://www.hp.com/go/designjet-t950-mfp</a>

---

## Ink/Toner/Paper/Printer Supplies

### Ink Supplies

★ : Recommended

#### HP Graphic Arts Inks/Printheads

HP 738 130-ml Black DesignJet Ink Cartridge	498N4A
HP 738 130-ml Cyan DesignJet Ink Cartridge	498N5A
HP 738 130-ml Magenta DesignJet Ink Cartridge	498N6A
HP 738 130-ml Yellow DesignJet Ink Cartridge	498N7A
HP 738 300-ml Black DesignJet Ink Cartridge	498N8A
HP 738 300-ml Cyan DesignJet Ink Cartridge	676M6A
HP 738 300-ml Magenta DesignJet Ink Cartridge	676M7A
HP 738 300-ml Yellow DesignJet Ink Cartridge	676M8A
HP 739 DesignJet Printhead Replacement Kit	498N0A

## Accessories

### Paper Handling

★ : Recommended

#### Roll Core Adapters

HP DesignJet 3-in Core Adapter

CN538A

#### Spindles

HP DesignJet 36-in Spindle

7F2C8A

---

## Disclaimer — Copyright

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Mar 12, 2025 7:58 PM UTC+0000