



HP DesignJet T730 36-in Printer

U.S. Federal Government

36-inch, robust and compact printer for CAD and general-purpose applications



SMART—Invest in a robust printer

- Robust, compact, and professional—this printer fits your business and gives you space to work.
- Produces prints 3 times faster than previous HP models—see A1/D-size prints delivered in 25 seconds.
- Choose from 130/300-ml HP ink cartridges to fit your print volume, large supplies can reduce interventions.

EASY—Convenient printing helps reduce time, waste

- Cut waste by 50%—print at half scale with automatic sheet feeder/tray; cut extra work, waste of wide rolls.¹
- Easily print project sets and PDF documents with HP Click printing software.
- Redesigned stand reduces CO₂e up to 130 tons/year by units sold.²

For more information, please visit <http://www.hp.com/go/designjett730>

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. More at: <http://www.hp.com/go/learnaboutsupplies>

¹ Printing on sheets eliminates the extra work and cutting waste of printing on performance equivalent roll-based printers in the market as of September, 2015. For example, printing at half scale (13.5 inches) on a typical (36-inch) roll results in over 50% paper waste and additional labor to cut.

² Redesigned stand with reduced material usage and 28% weight reduction compared to the previous stand model used in HP DesignJet T730 Printer. Based on calculations in accordance with ISO 14040/14044 Life Cycle Assessments using ReCiPe (H) v. 1.1 (2016) on GaBi 8.5 (2018) software and scaled to reflect expected yearly sales.

Technical specifications

Print	
Print speed	25 sec/page on D, 82 D prints per hour ¹
Print resolution	Up to 2400 x 1200 optimized dpi
Technology	HP Thermal Inkjet
Margins	Roll: 0.2 x 0.2 x 0.2 x 0.2 in (5 x 5 x 5 x 5 mm) Sheet: 0.2 x 0.2 x 0.2 x 0.2 in (5 x 5 x 5 x 5 mm)
Ink types	Dye-based (C, M, Y); pigment-based (mk)
Ink drop	6 pl (C, M, Y); 12.6 pl (mk)
Printheads	1 (C, M, Y, mk)
Printhead nozzles	1376
Line accuracy	±0.1% ²
Minimum line width	0.0008 in (0.02 mm) HP-GL/2 addressable
Max optical density	8 L* min/2.10 D ³
Media	
Handling	Sheet feed, roll feed, input tray, media bin, automatic horizontal cutter
Roll size	11 to 36 in (279 to 914 mm)
Sheet size	Input tray: 8.3 x 11 to 13 x 19 in (210 x 279 to 330 x 482 mm) Manual feed: 13 x 19 to 36 x 74.7 in (330 x 482 to 914 x 1897 mm)
Standard sheets	Input tray: A, B Manual feed: C, D, E
Grammage	60 to 280 g/m ² (roll/manual feed); 60 to 220 g/m ² (input tray)
Thickness	Up to 11.8 mil
Applications	Line drawings; Renderings; Presentations
Memory	1 GB
Hard disk	None
Connectivity	
Interfaces	Gigabit Ethernet (1000Base-T)
Print languages (standard)	HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, URF
Printing paths	Windows and macOS printer drivers Apple Air Print drive, print from USB pen drive
Drivers	HP-GL/2, HP-RTL drivers for Windows Raster driver for macOS and Windows
Dimensions (w x d x h)	
Printer	55.2 x 23.4 x 45.5 in (1403 x 605 x 1155 mm)
Shipping	62.5 x 22.6 x 25.4 in (1578 x 575 x 646 mm)
Weight	
Printer	96.3 lb (43.7 kg)
Shipping	144.8 lb (65.7 kg)
What's in the box	HP DesignJet T730 Printer, printhead, ink cartridges, printer stand, spindle, quick reference guide, setup poster, startup software, power cord
HP Software and solutions	HP Click, HP Smart app, HP Support Assistant, HP Print Preview for Windows, HP DesignJet Utility for macOS and Windows
Environmental ranges	
Operating temperature	41 to 104°F (5 to 40°C)
Operating humidity	20 to 80% RH
Storage temperature	-13 to 131°F (-25 to 55°C)
Acoustics	
Sound pressure	48 dB(A) (operating), <16 dB(A) (idle)
Sound power	6.5 B(A) (operating), <3.4 B(A) (idle)
Power	
Consumption	35 watts (printing), 3.5 watts (sleep), 0.2 watts (standby)
Requirements	Input voltage (auto ranging): 100-240 V (±10%), 50/60 Hz (±3 Hz), 1.2 A max
Certification	
Safety	USA and Canada (CSA certified)
Electromagnetic	Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES)
Environmental	ENERGY STAR, EPEAT Silver, CE marking
Warranty	One-year limited warranty. Warranty and support options vary by product, country and local legal requirements.

Ordering information

Product	
F9A29G	HP DesignJet T730 36-in Printer
TAA Compliance	Singapore
Accessories	
B3Q37A	HP DesignJet 36-in Spindle
N7P47AA	HP USB 3.0 to Gigabit LAN Adapter
Original HP printing supplies	
3WX25A	HP 728 130-ml Matte Black DesignJet Ink Cartridge
F9J65A	HP 728 130-ml Yellow DesignJet Ink Cartridge
F9J66A	HP 728 130-ml Magenta DesignJet Ink Cartridge
F9J67A	HP 728 130-ml Cyan DesignJet Ink Cartridge
F9J68A	HP 728 300-ml Matte Black DesignJet Ink Cartridge
F9J81A	HP 729 DesignJet Printhead Replacement Kit
F9K15A	HP 728 300-ml Yellow DesignJet Ink Cartridge
F9K16A	HP 728 300-ml Magenta DesignJet Ink Cartridge
F9K17A	HP 728 300-ml Cyan DesignJet Ink Cartridge

Use Original HP inks and printheads, and HP large format printing materials, to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system, and Original HP inks are designed to maximize the life of HP printheads. Protect your HP printer investment by using Original HP inks for full HP warranty protection. For more information, visit <http://hp.com/go/OriginalHPInks>.

Service and Support

UC744E HP Network Installation Service
 U1XV4E HP Preventive Maintenance Service
 U8PH0E HP 3 year Next Business Day HW Support
 U8TY6E HP 4 year Next Business Day HW Support
 U8PH1E HP 5 year Next Business Day HW Support
 U8PH2PE HP 1 year Post Warranty Next Business Day HW Support
 U8TY7PE HP 2 year Post Warranty Next Business Day HW Support
 HP Support Services offer installation and extended support services (e.g. 2, 3, 4, and 5 years). For more information, please visit <http://www.hp.com/go/cpc>

ECO highlights

- ENERGY STAR[®] certified¹ and EPEAT Silver registered²
- Free, convenient HP ink cartridge recycling³
- FSC[®]-certified papers⁴ and a range of recyclable HP media with a take-back program⁵

Please recycle printing hardware and eligible printing supplies and prints. Find out how at our website: <http://www.hp.com/ecosolutions>

¹ ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency.

² EPEAT registered where applicable and/or supported. See <http://www.epeat.net> for registration status by country.

³ Program availability varies. Please check <http://www.hp.com/recycle> for details.

⁴ BMG trademark license code FSC[®]-C 115319, see <http://www.fsc.org>. HP trademark license code FSC[®]-C017543, see <http://www.fsc.org>. Not all FSC[®]-certified products are available in all regions.

⁵ Mechanical printing time. Printed in Fast mode with Economode on, using HP Bright White Inkjet Paper (bond) and Original HP inks.

² ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F), 50–60% relative humidity, on A0/E printing material in Best or Normal mode with HP Heavyweight Coated roll feed and Original HP inks.

³ With HP Premium Instant Dry Photo Gloss media with Original HP inks.

